

FlexiPump® Pro

Dispensing pump for culture media preparation

Ref 562 000



Standards:



Traceability:



Manufactured under:



FlexiPump® Pro is a peristaltic pump with enhanced accuracy for the dispensing of culture media, agar and any type of diluent from 50 µL à 99 L. Compact and ergonomic, it comes with a user-friendly interface. Traceability is guaranteed by printer and USB connexion.

TECHNICAL SPECIFICATIONS

- **Stainless steel**
- Watson Marlow™ low pulsation double pump head with 6 rollers
- **Dose volume: 50 µL to 99 L**
- **Dispensing modes: Continuous - Dose – Multi-dose**
- 32 editable programs
- **Dispensing control with the handy gun**
- Multi-dose pause: Adjustable from 0.1 to 99.9 s
- Typical precision with inner Ø 3.2 mm tubing: 9 mL: ± 0.9% - 18 mL: ± 0.5% - 225 mL: ± 0.4%
- Tubing inner diameter: 1.6 mm, 3.2 mm, 4.8 mm, 6.4 mm, 8 mm
- Tubing wall thickness: 1.6 mm only
- **Tubings: Tygon™ (for pump head) and silicon**
- Flow rate: 3 mL/min to 2.5 L/min
- Pump head rotating speed: 10 to 550 rpm
- Traceability: USB, RS 232
- Connections: USB, RS 232, Jack 3.5 mm
- Data export: Excel™, Open Office Calc™, LIMS

- Voltage and frequency: 100-240V~ 50-60Hz
- IP: 31
- Fuses: T 2.5A L 250V 5x20 mm
- Max power: 50 W

- Dimensions (w x d x h): 16.1 x 33.2 x 20.8 cm, net weight: 5.55 kg
- Box (w x d x h): 50 x 40 x 40 cm, gross weight: 8.45 kg

- 1 year warranty

- In compliance with ISO 7218 and FDA BAM (Bacteriological Analytical Manual)
- Manufactured under CE, RoHS, WEEE
- Designed and made in France

DELIVERED WITH

- 2 peristaltic Watson Marlow™ pump heads
- 1 set of 3.2 mm dispensing assembly (nozzle + GL 45 bottle connector + filter + tubing + tube weight)
- 1 set of 6.4 mm dispensing assembly (nozzle + GL 45 bottle connector + filter + tubing + tube weight)
- 1 power cord
- 1 user's manual
- 1 USB cable
- 1 free pack of blender bags

OPTIONS / ACCESSORIES

- Ref 410 130 **Film for printer:** Thermal transfer film
- Ref 410 150 **Printer:** Thermal printer (RS 232 and USB output)
- Ref 413 002 **2L bottles (GL45):** Set of 3 GL45 glass bottle (2L), autoclavable
- Ref 507 008 **Foot pedal:** For hands-free dispensing. Connection with a 3.5 mm Jack
- Ref 513 001 **5L bottle (GL45):** GL45 glass bottle (5L), autoclavable
- Ref 513 015 **Independent stand for broth bags:** Independent stand for 2 broth bags
- Ref 521 012 **Sticker for printer:** Set of 2 sticker rolls for thermal printer - Label size: 70 x 45 mm
- Ref 521 110 **Paper for printer:** Set of 2 thermal paper roll for printer
- Ref 561 001 **Handy gun:** Dispensing control with handy gun including electronic start button
- Ref 561 002 **Adjustable dispensing arm:** For use with other containers

CONSUMABLES

- Ref 413 028 **Tube weights (Ø 3 mm):** Set of 5 tube weights (inner ø 3 mm)
- Ref 513 011 **Tubings for pump (Ø 4.8 mm):** Set of 6 Tygon™ tubings for pump part (20 cm). inner ø 4.8 mm
- Ref 513 020 **Trocar:** Trocar for broth bags
- Ref 513 023 **PTFE filters 0.2 µm (Ø 25 mm):** Set of 5 autoclavable filters (0.2 µm) for GL45 bottle
- Ref 513 024 **Nozzles (Ø 4.8 - 8 mm):** Set of 5 nozzles for tubings from 4.8 to 8 mm inner diameter
- Ref 513 039 **Tube weights (Ø 6 mm):** Set of 5 tube weights (ø 6 mm)
- Ref 513 040 **Nozzles (tubings Ø 1.6 - 3.2 mm):** Set of 5 nozzles for tubings from 1.6 to 3.2 mm inner diameter
- Ref 561 301 **Tubings for pump (Ø 1.6 mm):** Set of 6 Tygon™ tubings for pump part (20 cm). inner ø 1.6 mm
- Ref 561 302 **Tubings for pump (Ø 3.2 mm):** Set of 6 Tygon™ tubings for pump part (20 cm). inner ø 3.2 mm
- Ref 561 304 **Tubings for pump (Ø 6.4 mm):** Set of 6 Tygon™ tubings for pump part (20 cm). inner ø 6.4 mm
- Ref 561 305 **Tubings for pump (Ø 8 mm):** Set of 6 Tygon™ tubings for pump part (20 cm). inner ø 8 mm
- Ref 561 401 **Autoclave GL45 stopper + 0.2 µm filter**
- Ref 561 403 **Straight connectors (tubings ø 6.4 - 8 mm):** Set of 6 straight connectors for inner ø 6.4 and 8 mm tubings
- Ref 561 404 **Straight connectors (tubings ø 3.2 - 4.8 mm):** Set of 6 straight connectors for inner ø 3.2 and 4.8 mm tubings
- Ref 562 101 **Dispensing assembly + Y (GL45 - ø 1.6 mm):** Set of silicone tubings inner ø 1.6 mm + GL45 screw cap + tube weight + nozzle + filter + "Y"
- Ref 562 102 **Dispensing assembly + Y (GL45 - ø 3.2 mm):** Set of silicone tubings inner ø 3.2 mm + GL45 screw cap + tube weight + nozzle + filter + "Y"
- Ref 562 103 **Dispensing assembly + Y (GL45 - ø 4.8 mm):** Set of silicone tubings inner ø 4.8 mm + GL45 screw cap + tube weight + nozzle + filter + "Y"
- Ref 562 104 **Dispensing assembly + Y (GL45 - ø 6.4 mm):** Set of silicone tubings inner ø 6.4 mm + GL45 screw cap + tube weight + nozzle + filter + "Y"
- Ref 562 105 **Dispensing assembly + Y (GL45 - ø 8 mm):** Set of silicone tubings inner ø 8 mm + GL45 screw cap + tube weight + nozzle + filter + "Y"
- Ref 562 201 **Tubings + Y (ø 1.6 mm):** 5 Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + "Y" connectors) - inner ø 1.6 mm
- Ref 562 202 **Tubings + Y (ø 3.2 mm):** Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + "Y" connectors) - inner ø 3.2 mm
- Ref 562 203 **Tubings + Y (ø 4.8 mm):** Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + "Y" connectors) - inner ø 4.8 mm
- Ref 562 204 **Tubings + Y (ø 6.4 mm):** Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + "Y" connectors) - inner ø 6.4 mm
- Ref 562 205 **Tubings + Y (ø 8 mm):** Set of 5 dispensing tubings (silicone tubings + Tygon™ tubings + "Y" connectors) - inner ø 8 mm
- Ref 562 401 **Y connectors (tubings ø 6.4 - 8 mm):** Set of 6 "Y" connectors for 6.4 and 8 mm tubings

- Ref 562 402 Y connectors (tubings \varnothing 3.2 mm): Set of 6 "Y" connectors for 3.2 mm tubings

PARIS

Phone: +33 1 34 62 62 61
info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770
sales.germany@interscience.com

BOSTON

Phone: +1 781 937 0007
sales.usa@intersciencelab.com

SHANGHAI

电话: +86 178 2123 6642
sales.china@interscience.com

SINGAPORE

Phone: +65 6977 7232
sales.asia@interscience.com

TOKYO

Phone: +81 3 6712 9715
sales.japan@interscience.com